

KEDERCORD.COM

ISLAND EXTRUSION

902-892-2929

902-314-2929

WELD-ABLE-KEDERCORD

PVC-RUBBER-PE-SPECIALS

| FRACTIONAL INCH | DECIMAL INCH | MM | DECIMAL INCH |
|-----------------|--------------|---------------|--------------|
| 1 / 64 | 0.0156 | 0.3969 | |
| | | 0.5000 | 0.0197 |
| 2 / 64 | 0.0313 | 0.7938 | |
| | | 1.0000 | 0.0394 |
| 3 / 64 | 0.0469 | 1.1906 | |
| | | 1.5000 | 0.0591 |
| 4 / 64 | 0.0625 | 1.5875 | |
| 5 / 64 | 0.0781 | 1.9844 | |
| | | 2.0000 | 0.0787 |
| 6 / 64 | 0.0938 | 2.3813 | |
| | | 2.5000 | 0.0984 |
| 7 / 64 | 0.1094 | 2.7781 | |
| | | 3.0000 | 0.1181 |
| 8 / 64 | 0.1250 | 3.1750 | |
| | | 3.5000 | 0.1378 |
| 9 / 64 | 0.1406 | 3.5719 | |
| 10 / 64 | 0.1563 | 3.9688 | |
| | | 4.0000 | 0.1575 |
| 11 / 64 | 0.1719 | 4.3656 | |
| | | 4.5000 | 0.1772 |
| 12 / 64 | 0.1875 | 4.7625 | |
| | | 5.0000 | 0.1969 |
| 13 / 64 | 0.2031 | 5.1594 | |
| | | 5.5000 | 0.2165 |
| 14 / 64 | 0.2188 | 5.5563 | |
| 15 / 64 | 0.2344 | 5.9531 | |
| | | 6.0000 | 0.2362 |
| 16 / 64 | 0.2500 | 6.3500 | |
| | | 6.5000 | 0.2559 |
| 17 / 64 | 0.2656 | 6.7469 | |
| | | 7.0000 | 0.2756 |
| 18 / 64 | 0.2813 | 7.1438 | |
| | | 7.5000 | 0.2953 |
| 19 / 64 | 0.2969 | 7.5406 | |
| 20 / 64 | 0.3125 | 7.9375 | |
| | | 8.0000 | 0.3150 |
| 21 / 64 | 0.3281 | 8.3344 | |
| | | 8.5000 | 0.3346 |
| 22 / 64 | 0.3438 | 8.7313 | |
| | | 9.0000 | 0.3543 |
| 23 / 64 | 0.3594 | 9.1281 | |
| | | 9.5000 | 0.3740 |
| 24 / 64 | 0.3750 | 9.5250 | |
| 25 / 64 | 0.3906 | 9.9219 | |

| | | | |
|---------|--------|----------------|--------|
| | | 10.0000 | 0.3937 |
| 26 / 64 | 0.4063 | 10.3188 | |
| | | 10.5000 | 0.4134 |
| 27 / 64 | 0.4219 | 10.7156 | |
| | | 11.0000 | 0.4331 |
| 28 / 64 | 0.4375 | 11.1125 | |
| | | 11.5000 | 0.4528 |
| 29 / 64 | 0.4531 | 11.5094 | |
| 30 / 64 | 0.4688 | 11.9063 | |
| | | 12.0000 | 0.4724 |
| 31 / 64 | 0.4844 | 12.3031 | |
| | | 12.5000 | 0.4921 |
| 32 / 64 | 0.5000 | 12.7000 | |
| | | 13.0000 | 0.5118 |
| 33 / 64 | 0.5156 | 13.0969 | |
| 34 / 64 | 0.5313 | 13.4938 | |
| | | 13.5000 | 0.5315 |
| 35 / 64 | 0.5469 | 13.8906 | |
| | | 14.0000 | 0.5512 |
| 36 / 64 | 0.5625 | 14.2875 | |
| | | 14.5000 | 0.5709 |
| 37 / 64 | 0.5781 | 14.6844 | |
| | | 15.0000 | 0.5906 |
| 38 / 64 | 0.5938 | 15.0813 | |
| 39 / 64 | 0.6094 | 15.4781 | |
| | | 15.5000 | 0.6102 |
| 40 / 64 | 0.6250 | 15.8750 | |
| | | 16.0000 | 0.6299 |
| 41 / 64 | 0.6406 | 16.2719 | |
| | | 16.5000 | 0.6496 |
| 42 / 64 | 0.6563 | 16.6688 | |
| | | 17.0000 | 0.6693 |
| 43 / 64 | 0.6719 | 17.0656 | |
| 44 / 64 | 0.6875 | 17.4625 | |
| | | 17.5000 | 0.6890 |
| 45 / 64 | 0.7031 | 17.8594 | |
| | | 18.0000 | 0.7087 |
| 46 / 64 | 0.7188 | 18.2563 | |
| | | 18.5000 | 0.7283 |
| 47 / 64 | 0.7344 | 18.6531 | |
| | | 19.0000 | 0.7480 |
| 48 / 64 | 0.7500 | 19.0500 | |
| 49 / 64 | 0.7656 | 19.4469 | |
| | | 19.5000 | 0.7677 |
| 50 / 64 | 0.7813 | 19.8438 | |
| | | 20.0000 | 0.7874 |
| 51 / 64 | 0.7969 | 20.2406 | |
| | | 20.5000 | 0.8071 |
| 52 / 64 | 0.8125 | 20.6375 | |
| | | 21.0000 | 0.8268 |

| | | | |
|---------------------|--------|----------------|--------|
| 53 / 64 | 0.8281 | 21.0344 | |
| 54 / 64 | 0.8438 | 21.4313 | |
| | | 21.5000 | 0.8465 |
| 55 / 64 | 0.8594 | 21.8281 | |
| | | 22.0000 | 0.8661 |
| 56 / 64 | 0.8750 | 22.2250 | |
| | | 22.5000 | 0.8858 |
| 57 / 64 | 0.8906 | 22.6219 | |
| | | 23.0000 | 0.9055 |
| 58 / 64 | 0.9063 | 23.0188 | |
| 59 / 64 | 0.9219 | 23.4156 | |
| | | 23.5000 | 0.9252 |
| 60 / 64 | 0.9375 | 23.8125 | |
| | | 24.0000 | 0.9449 |
| 61 / 64 | 0.9531 | 24.2094 | |
| | | 24.5000 | 0.9646 |
| 62 / 64 | 0.9688 | 24.6063 | |
| | | 25.0000 | 0.9843 |
| 63 / 64 | 0.9844 | 25.0031 | |
| 64 / 64 | 1.0000 | 25.4000 | |
| File-IN-MM-FRACTION | | 25.5000 | 1.0039 |